

Windscreen in Glass

The solution for the outdoor seating



ClickitUp[®]
by ErgoSafe[®]



CRYSTAL CLEAR

ClickitUp® glass balustrade combine design, quality, safety, and function through the use of glass, aluminum and structural glazing adhesive technology. It offers a minimalist look and height-adjustable features.


SWEDISH & SUSTAINABLE

As a Swedish company based in Halmstad, we guarantee the highest quality. Our production is carried out under the most modern conditions and focuses on sustainable, recyclable materials. We prioritize sustainability and take our responsibility for people and the environment seriously.

QUALITY & SAFETY

We place great value on quality and safety. Our products undergo numerous tests and verifications, depending on legal requirements and product specifications.

The glass balustrade from ErgoSafe with the brand ClickitUp® is protected by: Design right 002416248. 001-005. March 3, 2014.
Due to the design protection, no other actor within the EU has the right to sell or import copies of the glass balustrades from ErgoSafe.



On the outdoor terraces of hotels and restaurants, glass balustrades and wind protection systems are often exposed to extreme conditions. They must withstand wind and weather and are used almost all year round. The right choice is crucial for your investment. Our many years of experience and numerous references speak for themselves. We would be happy to advise you!

ClickitUp

Glass balustrades for Horeca

The height-adjustable




Your Added Value:

- + Height-adjustable glass balustrade
- + Extend season
- + The original
- + More comfort for all guests

ClickitUp is the original model of our glass balustrades with a free glass edge and height-adjustable function. The glass balustrade impresses with an elegant, stylish design.

ClickitUp creates the conditions for a wind-free, chic, stylish oasis on the terrace, in the garden eatery, and in many other outdoor areas. This variant is suitable for ground-level outdoor areas that require additional protection from the wind.



Product Name	ClickitUp
Description	Adjustable glass balustrade
Products	Straight section, door, curved
Safety	Safty Glass. CE marked according to the Machinery Directive 2006/42/ec
Installation	The balustrade must not be installed where there is a risk of falling
Drive Mechanism	The system have a semi-automatic gas spring technology that raises the movable section
Production method	Structural glazing is used to mount the glass onto aluminium poles
Ground mounts	Standard, angled
Covers	Single, double, offset corner
Material	Glass, aluminium and stainless steel
Glass fixed	8 mm tempered glass
Glass movable	6 mm tempered glass
Height	1100 mm
Height when raised	1900 mm
Max width	2000 mm
Surface treatment	Standard natural anodised. Optional black anodised or RAL powder-coated (fixed posts only)
Standard measurements	Standard section size: 100 mm intervals between 1000 mm and 2000 mm
Energy & Sound value	A mounted glass balustrade from ErgoSafe has an insulating and sound-reducing effect

CiUFixed

Glass balustrades for Horeca

The Classic



Your Added Value:

- + Elegant Design
- + Compatible with ClickitUp
- + Easy Installation

The fixed glass balustrade CiUFixed is suitable for ground-level outdoor areas. ClickitUp and CiUFixed can be perfectly combined.

The glass balustrade is recommended for those who value a perfect fusion of construction and design. Additionally, it should not go unmentioned that this variant is particularly easy to install.



Product Name	CIUFixed
Description	Glass balustrade
Products	Straight section, door, curved
Safety	Safety Glass
Installation	The balustrade must not be installed where there is a risk of falling
Drive Mechanism	No
Production method	Structural glazing is used to mount the glass onto aluminium poles
Ground mounts	Standard, angled
Covers	Single, double, offset corner
Material	Glass, aluminium and stainless steel
Glass fixed	8 mm tempered glass
Height	1100 mm
Max width	2000 mm
Surface treatment	Standard natural anodised. Optional black anodised or RAL powder-coated (fixed posts only)
Standard measurements	Standard section size: 100 mm intervals between 1000 mm and 2000 mm
Energy & Sound value	A mounted glass balustrade from ErgoSafe has an insulating and sound-reducing effect

CiUFlex

Glass balustrades for Horeca

The Flexible



Your Added Value:

- + Easy to upgrade
- + Innovative construction
- + Chic and stylish design

This glass balustrade is designed so that each section can be upgraded at the top with a movable element.

The product CiUFlex is suitable for ground floor outdoor areas. The construction allows for fixed and movable elements to be ordered at different times. The retrofitting is easy and smooth after the assembly is completed, CiUFlex has the same design and appearance as ClickitUp.



Product Name	CiUFlex
Description	Glass balustrades with the possibility to upgrade to ClickitUp which has an upper movable part
Products	Straight section, door
Safety	Safety Glass. With upgrade: See ClickitUp
Installation	The balustrade must not be installed where there is a risk of falling
Drive Mechanism	With upgrade: See ClickitUp
Production method	Structural glazing is used to mount the glass onto aluminium poles
Ground mounts	Standard, angled
Covers	Single, double, offset corner
Material	Glass, aluminium and stainless steel
Glass fixed	8 mm tempered glass
Glass movable	With upgrade: See ClickitUp
Height	1100 mm
Height when raised	With upgrade: See ClickitUp
Max width	2000 mm
Surface treatment	Standard natural anodised. Optional black anodised or RAL powder-coated (fixed posts only)
Standard measurements	Standard section size: 100 mm intervals between 1000 mm and 2000 mm
Energy & Sound value	A mounted glass balustrade from ErgoSafe has an insulating and sound-reducing effect

ClickitUp Free Standing

Glass balustrades for Horeca

The free standing



Your Added Value:

- + Height-adjustable glass balustrade
- + Free standing
- + Extend season
- + Combine with planter or bench

Experience the ultimate blend of functionality and aesthetics with our free standing, height-adjustable glass balustrade unit.

This flexible solution requires no installation and offers an immediate enhancement to ground-level outdoor dining areas, perfectly integrated with a stylish planter box. The free standing unit, which does not need to be anchored to the ground, can easily be stored indoors when necessary, providing unparalleled flexibility and ease of use.



Product Name	ClickitUp Free Standing
Description	Adjustable glass balustrade with planter or bench
Products	Straight section
Safety	Safty Glass. CE marked according to the Machinery Directive 2006/42/ec
Installation	Adjustable skids alternatively wheels
Drive Mechanism	The system have a semi-automatic gas spring technology that raises the movable section
Production method	Structural glazing is used to mount the glass onto aluminium poles
Ground mounts	Free Standing
Covers	Single
Material	Glass, aluminium, stainless steel and galvanized steel
Glass fixed	8 mm tempered glass
Glass movable	6 mm tempered glass
Height	1100 mm (1152 -1202 mm with feet)
Height when raised	1900 mm
Max width	2000 mm
Surface treatment	ClickitUp: natural or black anodised. Box (planter or bench) black power coated in RAL 9005
Measurements	1000 mm, 1500 mm and 1800 mm as standard. Custom size maximum width 2000 mm
Energy & Sound value	A mounted glass balustrade from ErgoSafe has an insulating and sound-reducing effect

CLICKITUP® - ONE GLASSBALUSTRADE








PONTONEN
LIVELONGER. DUG. DELGODTÆR

TRANSFORMS YOUR OUTDOOR AREA





ClickitUp[®]

by ErgoSafe[®]

ErgoSafe AB | Reparatörgatan 1 | SE-302 62 Halmstad | +46 (0)10-480 47 00 | www.clickitup.com