



ClickitUp[®]
by ErgoSafe[®]

clickitup.com/horeca



ERGOSAFE & INNOVATION

Innovation is essential to ErgoSafe. We have developed a completely new balustrade system adaptable for both ground-level and balcony installations. ClickitUp® by ErgoSafe is an innovative glass balustrade system offering multiple features that combine safety, design, and functionality into a sustainable concept for all types of outdoor environments.

SWEDISH & SUSTAINABLE

ErgoSafe, founded in 1996 in Halmstad, is a Swedish company with its own factory, ensuring high-quality glass balustrades crafted by our skilled team. We operate in highly modern facilities, utilize recyclable materials, and prioritize sustainable choices. Our goal is continuous improvement and a commitment to both the environment and people.

QUALITY & SAFETY

We highly value quality and safety. Our diverse product groups impose strict demands on us as a supplier. Demands we consider fundamental to meet and uphold on a daily basis. Our products undergo extensive testing and inspections to comply with legal requirements and product specifications.

Designed and manufactured in Sweden. ErgoSafe's glass balustrade marketed under the ClickitUp® brand is design protected through: EU 002416248-0001-0005 (March 2014), GB 90024162480001-0005, EU 015096653-0001-0002, GB, NO DM/2513503. The design protection means that no other party within the EU, the United Kingdom or Norway has the legal right to manufacture, sell or import copies of ErgoSafe's glass balustrades.

WEATHER PROTECTION IN GLASS FOR OUTDOOR SEATING AREAS

On hotel and restaurant patios, glass balustrades and wind protection systems face tough challenges. They must withstand both wind and weather to ensure year-round usability. This makes choosing the right products crucial.

Our extensive experience and comprehensive reference list testify to our expertise. Together with our partners, we offer guidance and support throughout the entire process. We deliver durable, reliable products that enhance outdoor spaces, making them safer and more inviting, whether for ground-level installations or balcony applications.

Welcome to contact us today!



ClickitUp, ClickitUpBalcony, ClickitUpInside

Height-adjustable glass balustrades



- + Maximize outdoor seating capacity
- + Adapt the wind protection to weather
- + Create a long and safe outdoor season

ClickitUp is the original model of our glass balustrades with a free glass edge and a height-adjustable function.

Through continuous product development, we now offer several height-adjustable models adapted to different outdoor environments and needs.

Our height-adjustable glass balustrades feature an elegant and functional design, creating a wind-protected, stylish and welcoming oasis for restaurant outdoor seating.



Category	Height-adjustable glass balustrades
Description	Glass balustrade with free glass edges and wind protection that can easily be raised and lowered
Products	ClickitUp, ClickitUpBalcony, ClickitUpInside
Safety	Designed with safety glass
Placement	Choice of model depends on whether a fall risk is present or not
Material	Glass, aluminium and stainless steel
Glass fixed	ClickitUp and ClickitUpInside: 8 mm tempered float glass ClickitUpBalcony: 8.76 mm tempered laminated glass
Glass movable	6 mm tempered float glass
Surface treatment	Standard in natural anodized finish Optional black anodized or powder-coated color
Height	1100 mm or alternatively 1200 mm ClickitUpInside 600: 1100 mm
Height when raised	1900 mm or alternatively 2000 mm ClickitUpInside 600: 1900 mm
Standard sizes (100 mm intervals)	ClickitUp & ClickitUpInside 1100: 1000 - 2000 mm, ClickitUpInside 600: 1000 - 1500 mm, ClickitUpBalcony: 1000 - 1800 mm
Custom width (any width)	ClickitUp & ClickitUpInside: 350–2000 mm ClickitUpBalcony: 350–1800 mm



CiUFixed, CiUFixedBalcony

Glass balustrades



- + Ready-to-install sections
- + Combine with ClickitUp
- + Smooth installation

Our Fixed models are sleek glass balustrades in standard height that meet the requirements for safe installation. CiUFixed and CiUFixedBalcony are easy to install and can be combined with our height-adjustable models.

For outdoor seating areas where wind protection is not required, a fixed glass balustrade is the natural choice for a clean and stylish overall design. The Fixed models are also particularly easy to install.



Category	Glass balustrades
Description	Sleek fixed-height glass balustrades that frame outdoor seating areas and are easy to install
Products	CiUFixed, CiUFixedBalcony
Safety	Designed with safety glass
Placement	The choice of model depends on whether there is a risk of falling or not
Material	Glass, aluminium and stainless steel
Glass fixed	CiUFixed: 8 mm tempered float glass. CiUFixedBalcony: 8.76 mm tempered laminated glass
Surface treatment	Standard in natural anodized finish Optional black anodized or powder-coated color
Height	1100 mm or alternatively 1200 mm
Standard sizes (100 mm intervals)	CiUFixed: 1000–2000 mm (100 mm intervals) CiUFixedBalcony: 1000–1800 mm (100 mm intervals)
Custom width (any width)	CiUFixed: 350–2000 mm CiUFixedBalcony: 350–1800 mm



CiUWindscreen

Windscreen



- + Smart outdoor wind protection
- + For a calm outdoor space
- + Delivered ready to install

CiUWindscreen is our tall, fixed glass balustrade that provides effective wind protection while preserving the view. The high glass sections can easily be combined with other models in the ClickitUp series for a flexible and uniform overall solution.

With its robust and sleek construction, CiUWindscreen creates a stable and discreet wind protection that enhances comfort on restaurant outdoor terraces.



Category	Windscreen
Description	Windscreen providing effective wind protection while preserving the view
Products	CiUWindscreen
Safety	Designed with safety glass
Placement	The balustrade must not be installed where there is a risk of falling
Material	Glass, aluminium and stainless steel
Glass fixed	8 mm tempered float glass
Surface treatment	Standard in natural anodized finish Optional black anodized or powder-coated color
Standard height	1500 mm
Special height	On request
Custom width (any width)	350 - 2000 mm



ClickitUpPlus

Adjustable glass panel system



- + Weather protection all year round
- + Raise or lower for shelter or breeze
- + Weather-protected with pergola

ClickitUpPlus is a glass system with fixed upper and lower glass panels and a height-adjustable glass section in the middle. With a simple hand movement, the movable middle section is lowered to open up the enclosure.

This design provides a flexible all-in-one solution with year-round comfort and creates a protected, stylish, and pleasant environment for restaurant outdoor seating. ClickitUpPlus is specially adapted for roof installations such as pergolas. A matching pivot door is available.



Category	Adjustable glass panel system
Description	Glass panel with fixed upper and lower glass and a height-adjustable middle section. A matching pivot door is available
Products	ClickitUpPlus, CiUPivotDoorPlus, CiUPivotDoor
Safety	Designed with safety glass
Placement	The balustrade must not be installed where there is a risk of falling
Material	Glass, aluminium and stainless steel
Glass fixed	8 mm tempered float glass
Glass movable	6 mm tempered float glass
Surface treatment	Posts and brackets in black anodised finish as standard Optional powder-coated color
Section height	2090 - 2520 mm Including brackets
Custom width (any width)	500 - 2000 mm
Depth	95 mm



CiUFlex, CiUFlexBalcony

Upgradeable glass balustrades



- + Upgradeable with wind protection
- + Combine with adjustable models
- + Lower initial cost

Our upgradeable glass balustrades are based on an innovative design and are prepared for upgrade with an upper movable glass panel. This allows the fixed and movable sections to be ordered at different times.

The retrofit installation is quick and easy, and once completed, the upgradeable glass balustrades have the same finish and appearance as our height-adjustable glass balustrades.




Category	Upgradeable glass balustrades
Description	Glass balustrades prepared for upgrade with an upper movable glass panel
Products	CiUFlex, CiUFlexBalcony
Safety	Designed with safety glass
Placement	The choice of model depends on whether there is a risk of falling or not
Material	Glass, aluminium and stainless steel
Glass fixed	CiUFlex: 8 mm tempered float glass CiUFlexBalcony: 8.76 mm tempered laminated glass
Glass movable	With upgrade: See ClickitUp
Surface treatment	Standard natural anodised Optional: black anodized or powder-coated color
Height	1100 mm or 1200 mm
Height when raised	With upgrade: See ClickitUp
Standard sizes (100 mm intervals)	CiUFlex: 1000–2000 mm (100 mm intervals) CiUFlexBalcony: 1000–1800 mm (100 mm intervals)
Custom width (any width)	CiUFlex: 350-2000 mm CiUFlexBalcony: 350-1800 mm



Free Standing

Free standing glass balustrades



- + Glazing without ground anchoring
- + Combine with bench or planter
- + ClickitUp® design & build

Free Standing consists of freestanding sections where a planter box or bench is combined with ground-level glass balustrades. As the sections are supplied with skids or wheels, positioning and installation at ground level are flexible and easy. The system requires no ground anchoring.


Our freestanding glass balustrades create a functional, stylish, and pleasant outdoor environment for restaurant terraces, with effective screening and high comfort.



Category	Freestanding glass balustrades
Description	Freestanding planter box or bench combined with a glass balustrade for ground level
Products	ClickitUp Free Standing, CiUFixed Free Standing, CiUWindscreen Free Standing
Placement	Adjustable runners or wheels for installation at ground level
Material	Glass, aluminium, stainless steel and galvanised steel
Surface treatment box	Standard: Black powder coating in RAL 9005 Optional: Powder-coated in any custom color
Height with CiUFixed	1152 - 1242 mm with skids and 1240 mm with wheels
Height with CiUWindscreen	1552 - 1642 mm with skids and 1640 mm with wheels
Height with ClickitUp	1952 - 2042 mm with skids and 2040 mm with wheels
Standard sizes	1000 mm, 1500 mm and 1800 mm
Standard width	500 mm - 2000 mm
Depth	495 mm
Seat depth (bench)	400 mm



Build a section with planter box or bench
Choose either a planter box or bench and decide if the section should have adjustable skids or wheels. Finally, select the ground-level glass balustrade variant that best suits your project.



OUR GLASS BALUSTRADES

Elegant glass weather protection – ideal for outdoor seating areas





CLICKITUP BY ERGOSAFE - THE FLEXIBLE GLASS BALUSTRADE SYSTEM

We offer several variants of glass balustrades, tailored for both ground-level and balcony installations. With a wide selection of accessories and mounting details, we provide the market with a flexible balustrade system that suits various needs and environments. With ClickitUp® by ErgoSafe, you get a durable, functional, and sleek solution that creates a safe and attractive outdoor space for your guests, while also offering the opportunity to maximize seating capacity for the restaurant.

FLEXIBLE DESIGN FOR ALL OUTDOOR ENVIRONMENTS

For our ground-level glass balustrades, additions such as a planter box or bench can be incorporated, creating freestanding sections that do not need to be anchored to the ground. Multiple sections can be combined to form a completely freestanding barrier, ideal for creating a flexible and private outdoor seating area. On rooftop terraces, the system adds both safety and aesthetic elegance, making the outdoor environment both attractive and functional.

THE FLEXIBLE WIND PROTECTION FOR OUTDOORS SEATING

The height-adjustable glass balustrade ClickitUp is the perfect choice for the HORECA segment and outdoor seating areas, whether the installation is at ground level or on a rooftop terrace. With its height-adjustable feature, ClickitUp offers both flexibility and comfort for guests. The glass balustrade can be easily adjusted to protect against wind and weather, allowing the outdoor seating area to be used year-round without compromising the view or atmosphere.



We manufacture glass balustrades in both standard and custom dimensions, tailored for outdoor seating areas. All our glass balustrades can be combined and customised according to the needs of the business and the conditions of the outdoor environment. Below you will find an overview of our different models.

With our extensive experience in glass and aluminium, we help you create a safe, flexible, and stylish outdoor seating area that maximises both comfort and capacity. We guide you through the entire process – from concept and design to finished installation.

Welcome to contact us for advice and support for your outdoor seating area!

Height-adjustable glass balustrades

With our height-adjustable glass balustrades, you get protection from the wind and can enjoy a longer outdoor season. Raise the wind protection while preserving the view.



Glass balustrades

Our Fixed models are sleek glass balustrades in standard height that meet the requirements for safe installation. The fixed glass balustrades are easy to install and can be combined with our height-adjustable models.



Windscreen

A sleek windscreen that provides effective wind protection without compromising the view. The sections can be combined with our other models in the ClickitUp series.



Adjustable glass panel system

Together with a fixed roof, such as a pergola, and a pivot door, a stable and flexible glazing solution is created with complete weather protection all year round. The middle section is easily raised and lowered as needed.



Upgradeable glass balustrades

Our innovative design gives you full flexibility. Start with a fixed glass balustrade and add a height-adjustable section later. A cost-effective initial investment that can easily be upgraded.



Freestanding glass balustrades

Free Standing requires no ground anchoring. Combine a planter box or bench with any ground-level glass balustrade from our ClickitUp® system for a flexible solution that creates a functional and stylish outdoor environment.





ClickitUp[®]

by ErgoSafe[®]